

TABLE-TOP FRYERS

TF SERIES

TF7

Construction Entirely in stainless steel.

Pan Pressed from one piece of metal without welding and

with rounded corners.

Chassis and pan Removable for easy cleaning.

Easy to work With 1 knob.

System dialogue For maximum output.

Cool zone Under the heating element.

Safety thermostat With a reset button.





Top-quality components Valentine has developed a table-top fryer which satisfies the expectations of even the most demanding customers, with a top-quality finish and an excellent quality performance.



Three-part fryer For greater safety and easy maintenance, the TF series is divided into 3 parts, the control unit, the pan and the chassis. The last two components can be washed in a dishwasher.





Drain valve All the TF models (except TF5) are fitted with a front drain valve allowing you to drain the oil.



Pan pressed from one piece of metal, without welding Valentine has developed a tank pressed from one piece of metal. The absence of welding and the rounded corners make it easy to clean and guarantee optimum hygiene.



TABLE-TOP FRYERS TF CHIPSCUTTLE

TF CHIP SCUTTLE

Keeps food hot

2 heating elements (top and bottom) For a better heat distribution

Robust and solid

Easy to clean





TABLE-TOP FRYERS THE TAILOR-MADE SOLUTION

		78 78	7		7 7	7 7	7
Table-top fryers	TF 5	TF 55	TF 7	TF 7 Turbo	TF 77	TF 77 Turbo	TF 10
Tank (litres)	5	2 x 5	7	7	2 x 7	2 x 7	10
Dimensions (mm) width Depth Height	210 415 265-420	420 415 265-420	280 415 265-420	280 415 265-420	560 415 265-420	560 415 265-420	360 415 265-420
Basket width Depth Height	155 235 105	2 x 155 2 x 235 2 x 105	220 235 105	220 235 105	2 x 220 2 x 235 2 x 105	2 x 220 2 x 235 2 x 105	305 235 105
Net weight (kg)	7	13	10	10	17	17	14
Kilowatts (kW)	3.12	2 x 3.12	3.12	4.6	2 x 3.12	2 x 4.6	6.5
1 Phase	13 amp	2 x 13 amp	13 amp	N/A	2 x 13 amp	N/A	30 amp
3 Phase	N/A	N/A	N/A	11.5 amp	N/A	2 x 11.5 amp	10 amp

	TI PIE	
Table-top fryers	TF 13	TFCHIPSCUTTLE
Tank (litres)	13	10
Dimensions (mm) width Depth Height	560 415 265-420	370 400 260-580
Basket width Depth Height	480 235 105	-
Net weight (kg)	16	10
Kilowatts (kW)	7.5	0.8
1 Phase	30 amp	13 amp
3 Phase	10 amp	N/A



Valentine Equipment Ltd 4Trafford Road, Reading Berkshire RG18JS

T +44 (0)118 957 1344 info@valentinefryers.com www.valentinefryers.com